

TOTO[®]
you + water




Double Cyclone[®]

DOUBLE CYCLONE SUPERIOR, BALANCED FLUSHING SYSTEM



- **BALANCED FLUSHING** for real life, real people. Double Cyclone technology flushes all types of waste, not just sinking waste.
- **WATER SAVINGS**
TOTO's rigorous flushing performance testing methods go beyond compliance and beyond industry standards, ensuring outstanding one-flush performance and true water savings.
- **REDUCTION OF BACTERIA**
By the elimination of rim holes, bacteria doesn't have as many places to hide.
- **EASY TO CLEAN**
No rim holes mean the interior of the bowl is smooth and ideal for easy cleaning.
- **SANAGLOSS** glaze seals the china creating a uniform smooth surface; debris and waste particles simply rinse away with each use, which means your SanaGloss fixtures stay cleaner longer.


BULK IS ONLY ONE MEASUREMENT OF PERFORMANCE



FLUSHING SYSTEMS COMPARISON

Double Cyclone offers the most balanced flushing system for High-Efficiency Toilets (HETs), resulting in a perfect score for the best overall performance. Double Cyclone sets the highest benchmark for balanced flushing, for TOTO and the entire industry.

Other TOTO HET flushing systems score high in TOTO's test standards, which are much higher than ANSI/ASME or CSA standards. Because TOTO tests for balanced flushing, TOTO HET toilets, which use only 1.28 gallons per flush (GPF), exceed the performance expectations of the industry and beat the competition with balanced flushing execution.



- TOTO's rigorous testing standards include all "real-life" scenarios, helping us create balanced flushing systems for all media (bulk, granular, liquid, paper) and complete cleaning (rim and bowl).
- Unlike competitors, who test for bulk but ignore many of the other tests, TOTO addresses balanced flushing; we test for all "real-life" scenarios to make sure customers are satisfied.
- All HET and Dual-Max® flushing systems receive a higher score because of water conservation.
- All TOTO HETs are WaterSense certified and help meet LEED requirements for indoor water use.



CURRENT MODELS



MS974224CEF(G)
Eco Guinevere® One-Piece
High-Efficiency Toilet



MS964214CEF(G)
Eco Soirée® One-Piece
High-Efficiency Toilet



MS644114CEF(G)
Carolina® II One-Piece
High-Efficiency Toilet



MS614114CEF(G)
Carlyle® II One-Piece
High-Efficiency Toilet



MS634114CEF(G)
Supreme® II One-Piece
High-Efficiency Toilet



MS604114CEF(G)
UltraMax® II One-Piece
High-Efficiency Toilet



CST474CEF(G)
Vespin® II Close Coupled
High-Efficiency Toilet



CST454CEF(G)
Drake® II Close Coupled
High-Efficiency Toilet



MS984244CFG
Ryohan® One-Piece
Toilet



Icon Key



DOUBLE CYCLONE®
Double Cyclone indicates the cleanest and most powerful flushing system for HETs available on the market today.



UNIVERSAL HEIGHT
Universal Height indicates toilets that allow for a more comfortable position across a wide range of users.



SANAGLOSS®
SanaGloss glaze prevents debris, mold and bacteria from sticking to ceramic surfaces, leading to fewer chemicals and less water in cleaning.



SKIRTED DESIGN
Skirted Design indicates toilets featuring TOTO's 10", 12", and 14" Unifit Rough-In and concealed trapway design.



ADA
Product complies with Americans with Disabilities Act accessibility guidelines.



WATERSENSESM
Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less. Faucets are 1.5 GPM.



