

TOTO®



**TOILET &
LAVATORY
BROCHURE** |

TABLE OF CONTENTS

FEATURED COLLECTION

NEOREST®

Neorest.....	2-6
Comparison Chart	7

WASHLETS®

Washlets.....	10-15
Comparison Chart	16

TOILETS

Connect+	18-19
1G® Toilets	20-21
One-Piece.....	22-25
Two-Piece.....	26-29
Wall-Hung.....	30-31

LAVATORIES

Vessel.....	34-35
Pedestal	36-37
Wall-Hung	38-39
Undercounter	40-43
Self-Rimming.....	44-45

TECHNOLOGY

Icon Guide	46-47
------------------	-------







NEOREST® WITH ACTILIGHT™

The Neorest 750H is truly a revolutionary innovation at the peak of luxury. The sensor-activated lid opens as you approach the toilet and closes shortly after you leave. The seat provides a radiant heat that you can adjust at any time. The warm water spray with variable temperature and volume settings, also allows you to choose between oscillating or pulsating spray options for a comforting, intimate cleansing experience.



Actilight™


HOW IT WORKS

SPECIAL GLAZE

The ceramic features a special photocatalytic glaze that is especially durable and hydrophilic. Water easily washes away and eliminates the waste.

ACTIVATED OXYGEN

The interplay of the special glaze and UV light releases activated oxygen, which breaks down waste without attacking the surface - a process that is completely safe for the environment.



ULTRAVIOLET LIGHT

Once the toilet lid is closed, the integrated UV light turns on for an hour.

SELF-CLEANING TOILET

The Actilight function makes the toilet completely self-cleaning. If the toilet is not in use for eight hours, it automatically sprays the bowl with eWater+. After 10 hours, the UV light in the lid switches on.



NEW

NEOREST®

750H

MS993CUMFX



Remote (Front View)



Remote (Top View)

- Actilight™ UV light cleaning system built in lid
- Tornado Flush™ system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CeFiONtect™ ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- Washlet® with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- eWater+® - Electrolyzed water that sanitizes toilet bowl and wand
- Universal Height
- ADA compliant
- Meets WaterSense® efficiency and performance standards

AVAILABLE COLORS



For more information on dimensions please refer to product spec sheet.

NEOREST®
TOILETS



NEOREST 750H;
MS993CUMFX#01



NEOREST®

700H

MS992CUMFG



- Tornado Flush™ system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CeFiONtect™ ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- Washlet® with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- eWater+® - Electrolyzed water that sanitizes toilet bowl and wand
- Universal Height
- ADA compliant
- Meets WaterSense® efficiency and performance standards



Remote (Front View)



Remote (Top View)

AVAILABLE COLORS



For more information on dimensions please refer to product spec sheet.

NEOREST®

550H

MS982CUMG



Remote (Front View)



Remote (Top View)

- Tornado Flush™ system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CeFiONtect™ ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- Washlet® with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- eWater+® - Electrolyzed water that sanitizes toilet bowl and wand
- Meets WaterSense® efficiency and performance standards

AVAILABLE COLORS

#01 Cotton

#12 Sedona Beige

NEW

NEOREST®

500H

MS952CUMG



Remote (Front View)



Remote (Top View)













- Tornado Flush system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CeFiONtect ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- Washlet with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- eWater+ - Electrolyzed water that sanitizes toilet bowl and wand
- Meets WaterSense efficiency and performance standards

AVAILABLE COLORS

#01 Cotton

#12 Sedona Beige

NEOREST® COMPARISON CHART

		750H	700H	550H	500H
		MS993CUMFX	MS992CUMFG	MS982CUMG	MS952CUMG
		NEW 			NEW 
COLOR:		#01	#01	#01, #12	#01, #12
CLEANSE	REAR CLEANSE	•	•	•	•
	SOFT REAR CLEANSE	•	•	•	•
	FRONT CLEANSE	•	•	•	•
	WIDE FRONT CLEANSE	•	•	•	•
	OSCILLATING CLEANSE	•	•	•	•
	PULSATING CLEANSE	•	•	•	•
	INSTANTANEOUS WATER HEATING	•	•	•	•
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•	•
AIR	AIR PURIFIER (DEODORIZER)	•	•	•	•
	AIR DRYER	•	•	•	•
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
SEAT	HEATED SEAT	•	•	•	•
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	SOFTCLOSE® SEAT AND LID	•	•	•	•
SENSOR	SEAT SENSOR	•	•	•	•
	 AUTOMATIC OPEN AND CLOSE LID	•	•	•	•
	 AUTOMATIC FLUSH	•	•	•	•
	NIGHT LIGHT	•	•	•	•
REMOTE CONTROL	REMOTE CONTROL	•	•	•	•
	REMOTE CONTROLLED SEAT	•	•	•	•
	REMOTE CONTROLLED FLUSH	•	•	•	•
HYGIENE	 ACTILIGHT	•	-	-	-
	 CEFIONTECT™	•	•	•	•
	 ewater+	•	•	•	•
	 PREMIST™	•	•	•	•
	BOWL CLEANING MODE	•	•	•	•
	WAND CLEANING MODE	•	•	•	•
	SELF-CLEANING WAND	•	•	•	•
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS
	AUTO ENERGY SAVER	•	•	•	•
	ON / OFF BUTTON	•	•	•	•
USABILITY	 ADA	•	•	-	-
	 UNIVERSAL HEIGHT	•	•	-	-


TOTO WASHLET®

The Washlet brings a new, refreshing lifestyle to America. Cleansing with warm water after using the toilet provides an exceptionally clean feeling. The Washlet's self-cleaning wand is fully adjustable, allowing users to set the precise temperature and spray type for comfortable intimate cleansing.

WASHLET S350E;
SW584#01



CLEANSING FUNCTIONS



REAR

The rear spray is designed to clean the rear intimate area. It features pleasant, yet strong water pressure to target this specific area.

REAR SOFT

It has a larger radius to cover more space. Low water pressure makes for a soft, comfortable spray.

FRONT

The front wash consists of large, soft drops for comfortable intimate cleansing – for a clean, fresh feeling.

WIDE FRONT

It has a larger radius to cover more space. Low water pressure makes for a soft, comfortable spray.

**On Washlet S350e & S300e only*

HYGIENE FUNCTIONS



DEODORIZER

The deodorizer effectively cleans the air around the toilet using powerful filters. Air is drawn in, passing through an ionized carbon filter to eliminate unpleasant odors.



HEATED SEAT

The specially designed, contoured seat is heated to provide maximum comfort. An integrated sensor maintains the desired setting between 82°F and 97°F.



SOFTCLOSE® LID

The SoftClose lid closes gently to eliminate seat slamming. The S350e & G500 model lids are activated by sensors for automatic opening and closing.



DRYER

Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer.

COMFORT FUNCTIONS



SELF-CLEANING WAND

The self-cleaning function cleans the entire wand before and after each use.



PREMIST™

Using the incoming water supply, a pre-mist wets the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.



NEW TECHNOLOGY EWATER+®

Electrolyzed water is a proven disinfectant used in food preparation and cleaning. After each use, TOTO's eWater+ mists the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.

**On Washlet S350e & S300e only*



WASHLET® G400;
MS920CEMFG

HOW IT WORKS

FRONT & REAR CLEANSE FUNCTION

With the touch of a button, a wand extends from under the seat for soothing warm-water cleansing.

*e*water+ (ELECTROLYZED WATER)

After eight hours of non-use, eWater+ is automatically sprayed.*



* eWater+ is available in Washlets S300e & S350e only

WASHLET®
G500 WITH INTEGRATED TOILET
 MS970CEMFG (elongated)



- 3D Tornado Flush™ system
- Dual-Max
- CeFiONtect™ ceramic glaze
- Sleek, low profile skirted one-piece
- Elongated front bowl
- 12" rough-in
- Mounting and connection hardware included
- Universal height
- ADA compliant
- Washlet cleansing with 5 water pressure settings
- Front and rear cleanse
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Auto open/close lid
- Hands-free automatic flush
- Meets WaterSense efficiency and performance standards

WASHLET

WASHLET®
G400 WITH INTEGRATED TOILET
 MS920CEMFG (elongated)



- 3D Tornado Flush™ system
- Dual-Max
- CeFiONtect™ ceramic glaze
- Sleek, full skirted one-piece
- Elongated front bowl
- 12" rough-in
- Mounting and connection hardware included
- Universal height
- ADA compliant
- Premist™ of bowl before each use
- Washlet cleansing with 5 water pressure settings
- Front and rear cleanse
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Auto open/close lid
- Hands-free automatic flush
- Meets WaterSense efficiency and performance standards

**AVAILABLE
 COLORS**



For more information on dimensions please refer to product spec sheet.



eWater+[®]


Electrolyzed water is a proven disinfectant used in food preparation and cleaning. After each use, TOTO's eWater+ mists the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.

**On Washlet S350e & S300e only*

Chlorine Ion



Tap Water



+/-
Electrolysis



Electrolyzed
Water (eWater+)



eWater+ spray

WASHLET®

S350E

SW584 (elongated)

SW583 (round)



- Washlet cleansing with 5 water pressure settings
- eWater+® technology
- Premist™ of bowl before each use
- Front and rear cleanse
- SoftClose® seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature
- Auto open/close lid
- Night light

WASHLET

S300E

SW574 (elongated)

SW573 (round)



- Washlet cleansing with 5 water pressure settings
- eWater+ technology
- Premist of bowl before each use
- Front and rear cleanse
- SoftClose seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature

WASHLET®
C200

SW2044 (elongated)
SW2043 (round)



- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- Premist™ of bowl before each use
- Front and rear cleanse
- SoftClose® seat
- Adjustable water temperature and pressure
- Warm air drying with five variable temperature settings
- Built-in air deodorizer
- Convenient slim wireless remote, with illuminated touch pad
- 2 user settings
- Adjustable seat temperature

WASHLET
C100

SW2034 (elongated)
SW2033 (round)



- Gentle aerated, warm water, dual action spray with oscillating feature
- Premist of bowl before each use
- Front and rear cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- Warm air drying with three variable temperature settings
- Built-in air deodorizer
- Arm control panel
- Adjustable seat temperature

WASHLET
A200

SW2024 (elongated)



- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- Front and rear cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- Convenient slim wireless remote
- Adjustable seat temperature
- 2 user settings
- Available only in #01 Cotton

WASHLET
A100

SW2014 (elongated)



- Gentle aerated, warm water, dual action spray with oscillating feature
- Front and rear cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- Arm control panel
- Adjustable seat temperature
- Available only in #01 Cotton

**AVAILABLE
COLORS**



#01
Cotton
















#12
Sedona
Beige



NEW

WASHLET COMPARISON CHART

		G500	G400	S350e	S300e	C200	C100	A200	A100
		MS970CEMFG (elongated)	MS920CEMFG (elongated)	SW584 (elongated) SW583 (round)	SW574 (elongated) SW573 (round)	SW2044 (elongated) SW2043 (round)	SW2034 (elongated) SW2033 (round)	SW2024 (elongated)	SW2014 (elongated)
									
	COLOR:	#01, #12	#01, #12	#01, #12	#01, #12	#01, #12	#01, #12	#01	#01
CLEANSE	REAR CLEANSE	•	•	•	•	•	•	•	•
	SOFT REAR CLEANSE	•	•	•	•	•	•	•	•
	FRONT CLEANSE	•	•	•	•	•	•	•	•
	WIDE FRONT CLEANSE	-	-	•	•	-	-	-	-
	OSCILLATING CLEANSE	•	•	•	•	•	•	•	•
	PULSATING CLEANSE	•	•	•	•	•	-	•	-
	INSTANTANEOUS WATER HEATING	-	-	•	•	-	-	-	-
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•	•	•	•	•	•
AIR	AIR PURIFIER (DEODORIZER)	•	•	•	•	•	•	-	-
	AIR DRYER	•	•	•	•	•	•	-	-
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	-	-
SEAT	HEATED SEAT	•	•	•	•	•	•	•	•
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS
	SOFTCLOSE* SEAT AND LID	•	•	•	•	•	•	•	•
SENSOR	SEAT SENSOR	•	•	•	•	•	•	•	•
	 AUTOMATIC OPEN AND CLOSE LID	•	•	•	-	-	-	-	-
	 AUTOMATIC FLUSH	•	•	-	-	-	-	-	-
	NIGHT LIGHT	-	-	•	-	-	-	-	-
REMOTE CONTROL	REMOTE CONTROL	•	•	•	•	•	SIDE PANEL	•	SIDE PANEL
	REMOTE CONTROLLED SEAT	•	•	•	-	-	-	-	-
	REMOTE CONTROLLED FLUSH	•	•	-	-	-	-	-	-
HYGIENE	REMOVABLE LID	•	•	•	•	•	•	•	•
	 CEFIONTECT™	•	•	-	-	-	-	-	-
	 ewater+	-	-	•	•	-	-	-	-
	 PREMIST™	-	•	•	•	•	•	-	-
	WAND CLEANING MODE	•	•	•	•	•	•	•	•
	SELF-CLEANING WAND	•	•	•	•	•	•	•	•
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS	-	-	-	-
	AUTO ENERGY SAVER	•	•	•	•	•	•	•	•
	ON / OFF BUTTON	•	•	•	•	-	-	-	-
connect+ OPTION*		-	-	•	•	•	•	-	-

* Connect+ is a Washlet and toilet system specially designed to conceal the supply connections. Please refer to the Connect+ brochure for more details.

WASHLET




WASHLET® G400;
MS920CEMFG


connect+TM

TOILET & WASHLET[®]

Introducing the new Connect+ concealed Washlet connection kit. Comprised of a Connect+ Washlet and toilet, the kit is specially designed to conceal the Washlet's power cord and water supply hose for a seamless installation.































**REGULAR
CONNECTION**



CONNECT+



CONNECT+™ SYSTEM CHART

			WASHLET			
			S350E 	S300E 	C200 	C100 
			SW584T20#01 (elongated)	SW574T20#01 (elongated)	SW2044T20#01 (elongated)	SW2034T20#01 (elongated)
						
	CONNECT+ TOILETS	MODEL NUMBERS	KIT NUMBERS			
ONE-PIECE	ULTRAMAX® II 1G®  	CST604CUFGT20#01	MW604584CUFG#01	MW604574CUFG#01	MW6042044CUFG#01	MW6042034CUFG#01
	ULTRAMAX II  	CST604CEFGT20#01	MW604584CEFG#01	MW604574CEFG#01	MW6042044CEFG#01	MW6042034CEFG#01
	CARLYLE® II 1G®  	CST614CUFGT20#01	MW614584CUFG#01	MW614574CUFG#01	MW6142044CUFG#01	MW6142034CUFG#01
	CARLYLE II  	CST614CEFGT20#01	MW614584CEFG#01	MW614574CEFG#01	MW6142044CEFG#01	MW6142034CEFG#01
	SUPREME® II  	CST634CEFGT20#01	MW634584CEFG#01	MW634574CEFG#01	MW6342044CEFG#01	MW6342034CEFG#01
	CAROLINA® II  	CST644CEFGT20#01	MW644584CEFG#01	MW644574CEFG#01	MW6442044CEFG#01	MW6442034CEFG#01
TWO-PIECE	DRAKE® II 1G®  	C454CUFGT20#01	MW454584CUFG#01	MW454574CUFG#01	MW4542044CUFG#01	MW4542034CUFG#01
	MATCHING TANK ST453U					
	DRAKE II  	C454CUFGT20#01	MW454584CEFG#01	MW454574CEFG#01	MW4542044CEFG#01	MW4542034CEFG#01
	MATCHING TANK ST454E					
	VESPIN® II 1G®  	CT474CUFGT20#01	MW474584CUFG#01	MW474574CUFG#01	MW4742044CUFG#01	MW4742034CUFG#01
	MATCHING TANK ST453U					
VESPIN II  	CT474CUFGT20#01	MW474584CEFG#01	MW474574CEFG#01	MW4742044CEFG#01	MW4742034CEFG#01	
MATCHING TANK ST454E						

CONNECT+ TOILETS



1 GALLON TECHNOLOGY (1.0 GPF)

TOTO's 1G toilets offer substantial water savings without wavering on our renowned performance. Using our powerful — yet surprisingly quiet — gravity-fed Tornado Flush™ technology, 1G fully evacuates the bowl with an ultra-efficient one gallon of water.



Regular Flush

Tornado Flush



REDUCES WATER USE BY 35% OR MORE ON AVERAGE OVER A STANDARD 1.6 GPF TOILET

TOTO 1G TOILETS



5,840 GALLONS Used in Flushing

\$175 Operation Cost

PER YEAR



STANDARD 1.6 GPF TOILETS



9,344 GALLONS Used in Flushing

\$280 Operation Cost

PER YEAR

*The average American flushes five times a day at home. Assuming an average household of 3.2 people over 365 days @ 3¢ per gallon.

ONE-PIECE TOILETS

NEW

CARLYLE® II 1G
MS614114CUFG (Elongated)



ULTRAMAX® II 1G*
MS604114CUFG (Elongated)



TWO-PIECE TOILETS

NEW

VESPIN® II 1G
CST474CUF(R)(G) (Elongated)



DRAKE® II 1G
CST454CUF(R)(G) (Elongated)



NEW

DRAKE II 1G
*CST453CUF(R)(G) (Round)



1 G TOILETS

AVAILABLE COLORS

-  #01 Cotton
-  #12 Sedona Beige
-  #03 Bone
-  #11 Colonial White
-  #51 Ebony


*Available only in #01 Cotton
(G) Ebony #51 less CeFiONtect
(R) Right-hand trip lever available

For more information on dimensions please refer to product spec sheet.

ONE-PIECE TORNADO FLUSH™ TOILETS



TOTO's industry-leading Tornado Flush system features a state of the art hole-free rim design that creates a powerful whirlpool of water. Combined with the extraordinarily smooth Cefionect glaze that prevents particulates from adhering to porous, ceramic surfaces every inch of your bowl stays cleaner, longer. Cefionect's ion barrier keeps everything clean which leads to fewer chemicals in the environment and less water used for cleaning.



WITHOUT CEFIONECT

WITH CEFIONECT



CARLYLE® II
MS614114CEF(R)(G) (Elongated)
SS114 seat included



ULTRAMAX® II
MS604114CEF(R)(G) (Elongated)
SS114 seat included



CAROLINA® II
MS644114CEF(G) (Elongated)
SS114 seat included



SUPREME® II
MS634114CEF(G) (Elongated)
SS114 seat included



AIMES®
MS626214CEF(G) (Elongated)
SS214 seat included



LEGATO®
MS624214CEF(G) (Elongated)
SS214 seat included



ECO SOIRÉE®
MS964214CEF(G) (Elongated)
SS214 seat included



ECO GUINEVERE®
MS974224CEF(G) (Elongated)
SS224 seat included



ONE-PIECE TOILETS

**AVAILABLE
COLORS**

-  #01 Cotton
-  #12 Sedona Beige
-  #03 Bone
-  #11 Colonial White
-  #51 Ebony

(G) Ebony #51 less CeFiONtect
(R) Right-hand trip lever available

For more information on dimensions please refer to product spec sheet.

ONE-PIECE TOILETS CONTINUED



AQUIA® ONE-PIECE TOILET;
MS654114MF

ECO LLOYD®
MS934214EF (Elongated)
SS214 seat included



AQUIA®
MS654114MF (Elongated)
SS114 seat included



ECO SUPREME®
MS864114E (Elongated)
MS863113E (Round)
SS114 seat included (MS864114E)
SS113 seat included (MS863113E)



ECO ULTRAMAX®
*MS854114E(L)(G) (Elongated)
*MS853113E (Round)
SS114 seat included (MS854114E(L)(G))
SS113 seat included (MS853113E)
ADA height available (MS854114EL(G))
CeFiONtect available (MS854114EL(G))
Standard glazed model available



ULTIMATE®
MS854114 (Elongated)
MS853113 (Round)
SS114 seat included (MS854114)
SS113 seat included (MS853113)
1.6 GPF only



ONE-PIECE TOILETS

AVAILABLE COLORS

	#01 Cotton		#12 Sedona Beige		#03 Bone		#11 Colonial White		#51 Ebony
--	------------	--	------------------	--	----------	--	--------------------	--	-----------

*1.6 GPF version available (G) Ebony #51 less CeFiONtect
For more information on dimensions please refer to product spec sheet.

TWO-PIECE TORNADO FLUSH™ TOILETS



VESPIN® II 1G® TWO-PIECE TOILET;
CST474CUFG#01

VESPIN II
CST474CEF(R)(G) (Elongated)



DRAKE II
CST454CEF(R)(G) (Elongated)



NEW

DRAKE II ROUND FRONT
*CST453CEF(R)(G) (Round)



MARIS®
CST484CEMF(G) (Elongated)



CONNELLY®
CST494CEMF(G) (Elongated)



TWO-PIECE TOILETS

AVAILABLE COLORS

-  #01 Cotton
-  #12 Sedona Beige
-  #03 Bone
-  #11 Colonial White
-  #51 Ebony

*Available only in #01 Cotton
Two-piece toilet seat sold separately
(G) Ebony #51 less CeFIONtect
(R) Right-hand trip lever available
For more information on dimensions please refer to product spec sheet.

TWO-PIECE TOILETS CONTINUED



CONNELLY® TWO-PIECE TOILET;
CST494CEMF(G)

ECO DRAKE® TRANSITIONAL

**CST744EN(G) (Elongated)
CST743EN (Round)
ADA height available (CST744ELNG)
Standard glazed model available



ECO DRAKE

* **CST744E(R)(G) (Elongated)
*CST743E(R) (Round)
ADA height available (CST744ELG)
Bolt-down tank lid available
Standard glazed model available



ECO CLAYTON®

*CST784EF (Elongated)



WHITNEY®

CST754EFN (Elongated)



ECO DARTMOUTH®

CST754EF (Elongated)



ECO PROMENADE®

*CST424EF(G) (Elongated)
*CST423EF(G) (Round)
ADA compliance applies only to elongated
Standard glazed model available



AQUIA®

**CST412MF (Elongated)
CST416M (Elongated)
Regular height available (CST416M)



ECO NEXUS®

CST794EF(R) (Elongated)



TWO-PIECE TOILETS

AVAILABLE COLORS



Two-piece toilet seat sold separately
*1.6 GPF version available
(G) Ebony #51 less CeFiONtect
(R) Right-hand trip lever available
** 10" Rough-in available

For more information on dimensions please refer to product spec sheet.

WALL-HUNG TOILETS



MARIS® WALL-HUNG TOILET;
CT486FG

AQUIA®
WALL-HUNG TOILET

CT418FG (Elongated)
Can be mounted at ADA height
Requires WT151M/W152M
Requires Elongated seat or Washlet
sold separately
Standard glazed model available



MARIS®
WALL-HUNG TOILET

CT486FG (Elongated)
Can be mounted at ADA height
Requires WT151M/W152M
Requires Elongated seat or Washlet
sold separately



NEW

MH
WALL-HUNG TOILET

CT437FG (D-shape)
Can be mounted at ADA height
Requires WT153M/W154M
SS117 seat required




PUSH PLATE
YT800#WH

White plastic



PUSH PLATE
YT820#CP

Polished chrome
A hidden mounting screw



PUSH PLATE
YT820#SS

Brushed stainless steel
A hidden mounting screw



PUSH PLATE
YT830#WH

White glass



NEW

DUOFIT™ IN-WALL
TANK SYSTEM - 1.6/0.9

WT151M (PEX supply line)
WT152M (Copper supply line)
2' x 6" installation
2' x 4" outlet kit available
Push plates sold separately



DUOFIT IN-WALL
TANK SYSTEM - 1.28/0.9

WT153M (PEX supply line)
WT154M (Copper supply line)
2' x 6" installation
2' x 4" outlet kit available
Push plates sold separately



WALL-HUNG TOILETS

AVAILABLE TOILET
COLORS



#01
Cotton

Wall-Hung toilet seat sold separately
For more information on dimensions please refer to product spec sheet.



NEOREST® KIWAMI® SEMI-RECESSED VESSEL LAVATORY;
LT995G



TOTO
LAVATORIES

VESSEL LAVATORIES



TOTO

NEOREST II
LLT993

Basin W 29-1/2" x D 17-11/16"



LUMINIST® RECTANGLE
LLT151

W 19-11/16" x D 12-5/8" x H 3-9/16"
Basin W 17-7/8" x D 10-13/16"



LUMINIST ROUND
LLT150

ø15-3/4" Dia. H 3-9/16"
Basin ø14-7/8" Dia.



LUMINIST LIGHTED ROUND
LLT152#63-BL (Shown)

ø15-5/8" Dia. H 2-3/8"
Basin ø14" Dia.

LLT152#63-WH

ø15-5/8" Dia. H 2-3/8"
Basin ø14" Dia.



NEW

NEOREST® KIWAMI® SEMI-RECESSED
LT994G (Shown)

W 29-3/8" x D 17-5/8"
Basin W 28-7/16" x D 16-15/16"

LT995G

W 23-7/16" x D 15-5/8"
Basin W 22-1/2" x D 15"



KIWAMI® RENESSE® II
**LT171G

W 23-5/8" x D 17-3/4" x H 2-3/4"
Basin W 21-5/8" x D 12-3/4"



KIWAMI RENESSE I
**LT172G

W 18-1/8" x D 18-1/8" x H 2-1/8"
Basin W 16-1/8" x D 12-1/2"



NEW

ARVINA™ SQUARE
LT574

W 16-9/16" x D 16-9/16" x H 4-15/16"
Basin W 16-1/16" x D 16-1/16"



NEW

ARVINA ROUND
LT572 (Shown)

ø15-3/4" Dia. H 4-15/16"
Basin ø15-1/4" Dia.

LT573

ø16-9/16" Dia. H 4-15/16"
Basin ø16-1/8" Dia.



MARIS®
LT480G

W 19-1/2" x D 15-5/32" x H 2"
Basin W 18-13/16" x D 15-1/16"



NEXUS®
*LT791

W 24" x D 17-3/8" x H 6-3/8"
Basin W 15-3/4" x D 11"



ALEXIS®
LT524(G)

ø17-3/4" Dia. x H 6-3/8"



LARISSA®
LT523(G)

ø17" Dia. x H 6-1/4"



CURVA®
LT185

W ø18" Dia. x H 3-13/16"
Basin W ø13" Dia.



WAZA® NOIR®
FLT141

W ø18-1/8" Dia. x H 3-9/16"
Basin W ø15-9/16" Dia.



* Available in single-hole, 4", or 8" centers

** Available in single-hole or 8" centers

For more information on dimensions please refer to product spec sheet.

PEDESTAL LAVATORIES



GUINEVERE® PEDESTAL LAVATORY; LPT970.8/LPT972.8
SINGLE HANDLE FAUCET; TL970SDLQ

CLAYTON®
*LPT780
W 27" x D 19-5/8" x H 34"



DARTMOUTH®
*LPT642
W 24-1/4" x D 18-1/4" x H 34"



GUINEVERE®
**LPT970/LPT972
W 27-1/8" x D 19-7/8" x H 34" (LPT970)
W 24-3/8" x D 19-7/8" x H 34" (LPT972)



NEXUS®
*LPT790
W 24" x D 17-3/8" x H 34"



PACIFICA®
*LPT908N
W 25-5/8" x D 19-1/2" x H 34"



PROMENADE®
*LPT530N/LPT532N
W 27-1/2" x D 22-1/4" x H 34-3/8" (LPT530N)
W 24" x D 19-1/4" x H 34-3/8" (LPT532N)



PROMINENCE®
*LPT242(G)
W 26" x D 21-1/2" x H 34-1/2"



SOIRÉE®
**LPT960/LPT962
W 29-1/2" x D 19-5/8" x H 34" (LPT960)
W 25-1/8" x D 18-7/8" x H 34" (LPT962)



SUPREME®
*LPT241(G)
W 22-7/8" x D 19-5/8" x H 34-1/2"



WHITNEY®
*LPT754
W 25" x D 19" x H 34"



* Available in single-hole, 4", or 8" centers

** Available in single-hole or 8" centers

For more information on dimensions please refer to product spec sheet.

WALL-HUNG LAVATORIES



SUPREME® WALL-MOUNT LAVATORY; LHT241
SILAS® WIDESPREAD FAUCET; TL210DD

PROMINENCE®

*LHT242(G)

W 26" x D 21-1/2"



SUPREME®

*LHT241(G)

W 22-7/8" x D 19-5/8"



LT650G

W 29-1/2" x D 11-13/16"



* Available in single-hole, 4", or 8" centers
** Available in single-hole or 8" centers
For more information on dimensions please refer to product spec sheet.

UNDERCOUNTER LAVATORIES



ATHERTON™ UNDERCOUNTER LAVATORY; LT231
OBERON-S SINGLE HANDLE FAUCET; TL363SD

AIMES®
LT626(G)
W 17" x D 15"



ATHERTON™
LT221
W 17" x D 13"



CONNELLY®
LT491(G)
W 14" x D 14"




GUINEVERE®
LT973(G)
W 18-11/16" x D 15-3/8"




PROMENADE®
LT533
W 18-1/2" x D 14-1/2"



LEGATO®
LT624(G)
W 17" x D 15"



LLOYD®
LT931
W 21" x D 14"



VERNICA®
LT156
W 19-1/2" x D 12-3/4"



WAZA SULTANA®
LT624#01-NB
W 17" x D 15"



Pattern detail

WAZA TIRAZ®
LT624#01-NC
W 17" x D 15"



Pattern detail

LT191(G)
W 20-1/2" x D 12-3/8"



For more information on dimensions please refer to product spec sheet.

LT540G
W 21-1/4" x D 14-3/8"



LT542G
W 19" x D 12-3/8"



SOIRÉE®
LT967
W 24-3/4" x D 14-1/8"



ATHERTON
LT231
W 17" x D 14"



ATHERTON
LT233
W 19" x D 15"



CURVA®
LT181
W 17" x D 14"



CURVA
LT183
W ø14" Dia.



DANTESCA®
LT597(G)
W 19" x D 15"



DARTMOUTH®
LT641
W 19-9/16" x D 14-3/8"



DARTMOUTH
LT643
W 17-1/4" x D 12-7/8"



LT577
W 15" x D 12"



RENDEZVOUS®

LT579(G)
W 17-1/2" x D 14-1/4"



LT193(G)
W ø15-3/8" Dia.



LT546(G)
W 19-11/16" x D 13-3/4"



LT548(G)
W 21-5/8" x D 14-5/8"



WAZA BARROCCO®

LT641#01-NA
W 19-9/16" x D 14-3/8"



MARIS®

LT483(G)
W 17-5/8" x D 14-9/16"



MARIS

LT481(G)
W 20-5/16" x D 15-9/16"



Pattern detail

For more information on dimensions please refer to product spec sheet.

SELF-RIMMING LAVATORIES



**NEOREST® COMBINATION
LAVATORY FAUCET**
LFC991GQ
W 29-1/2" x D 19-5/8"



VERNICA® DESIGN II
*LT155
Basin W 20" x H 18"



WAZA® NOIR™
FLT132
W 24" x D 15"



WAZA NOIR
FLT142
W 25-9/16" x D 17-1/16"



PROMENADE®
*LT531
W 22-1/2" x D 18-3/4"



CLAYTON®
*LT781
W 25" x D 18-1/4"



SOIRÉE®
**LT963
W 27-1/2" x D 18-7/8"



GUINEVERE®
*LT971
W 28-1/8" x D 19-5/8"



CURVA®
LT182 (w/faucet hole)
LT180 (w/o faucet hole)
W 22" x D 19"



ULTIMATE®
*LT512(G)
W 19" x D 19"



SUPREME®
*LT511(G)
W 20" x D 17"



PACIFICA®
*LT909
W 25-5/8" x D 17-3/4"



* Available in single-hole, 4", or 8" centers

** Available in single-hole or 8" centers

For more information on dimensions please refer to product spec sheet.

ICON GUIDE

TOTO is globally recognized as the leader in research and development for the bathroom. But we're not innovating, just for innovation's sake – our technologies are developed to create bathroom products that not only perform reliably, but conserve water and improve the quality of people's everyday life too.



1.0 GPF

1G toilets use the power of gravity to provide the most efficient flush in the industry.



TORNADO FLUSH™

Previously known as Double Cyclone Flushing Technology.

Tornado Flush features a state-of-the-art, hole-free rim design that offers dual-nozzle bowl cleansing, creating a centrifugal rinsing action that cleans the bowl more efficiently.



3D TORNADO FLUSH™

Previously known as Dual Max Cyclone. 3D Tornado features three powerful nozzles that create a powerful centrifugal rinsing action and combines it with the conservation of 0.9 or 1.28 GPF.



DUAL-MAX®

Dual-Max indicates a dual flushing system that optimizes conservation by allowing you to select either 0.9 or 1.28 GPF and 0.9 or 1.6 GPF.



E-MAX®

E-Max indicates high performance, high-efficiency flushing technology using only 1.28 GPF. It features a 3" wide flush valve, large trapway, and extra-large siphon jet.



G-MAX®

G-Max indicates a reliable flushing technology with 3" wide flush valve, large trapway, and extra-large siphon jet.



CeFiONtect™

Previously known as Sanagloss. CeFiONtect glaze prevents visible and invisible waste from sticking to ceramic surfaces, leading to the use of less chemicals and water to clean.



ADA

Product complies with Americans with Disabilities Act accessibility guidelines.



UNIVERSAL HEIGHT

Universal Height indicates toilets that allow for a more comfortable position across a wide range of users.



SKIRTED DESIGN

The trapway is concealed by smooth porcelain, making the toilet easier to clean.



LUMINIST®

Luminist is a remarkable custom material that combines the translucence of glass with exceptional impact- and heat-resistance.



WASHLET.

An individually adjustable wand system with self-cleaning function.



Actilight™

UV light combined with a special glaze breaks down dirt and grime in the toilet bowl.

connect+

A Washlet and toilet system that is specially designed for a seamless installation.



eWater+®

After each flush, TOTO's eWater+® mists the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.



PREMIST™

Using the incoming water supply, a Premist wets the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.



AUTO FUNCTIONS

Indicates a product featuring an integrated, automatic, sensor activated function. Products like the Neorest, select Washlets, EcoPower Faucets and Flush Valves, Soap Dispensers and Hand Dryers.



WATERSENSE

Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less, faucets are 1.5 GPM, and showers are 2.0 GPM.



Meets California Energy Commission Requirements - Effective 2016.

CALGreen

Meets CalGreen Water Regulations for new construction and permitted remodel.

TOTO USA, INC.
1155 SOUTHERN ROAD
MORROW, GA 30260
800-350-8686

www.totousa.com

#KO-052016-TLB
Printed in the U.S.A. 05/16