

CONTENTS

TECHNOLOGIES

- **02** Icon Guide
- 05 How WASHLET*+ Works
- **07** Clean Synergy
- 09 CEFIONTECT*
- 11 DYNAMAX TORNADO FLUSH
- 11 TORNADO FLUSH[®]
- 13 EWATER+*
- **15** Cleansing Functions
- 16 How The Remote Control Works
- 19 SELF-CLEANING WAND
- 20 WASHLET+ Technologies

CHART & SPECS

- 22 WASHLET+ Comparison
- 24 WASHLET+ Charts
- 28 WASHLET+ Auto Flush Models

ONE-PIECE TOILETS

- 30 Aquia IV WASHLET+
- 31 Nexus WASHLET+
- 32 Aimes WASHLET+
- 33 Legato WASHLET+
- 34 Carlyle II WASHLET+
- 35 Ultramax II WASHLET+
- 36 Carolina® II WASHLET+
- 37 Supreme II WASHLET+

TWO-PIECE TOILETS

- **38** Aquia IV WASHLET+
- 39 Aquia IV WASHLET+ (Universal Height)
- 40 Nexus WASHLET+
- 41 Connelly WASHLET+
- 42 Vespin* II WASHLET+
- 43 Drake II WASHLET+

WALL-HUNG TOILET

44 MH WASHLET+



ICON GUIDE

TOILET



1.0 GPF

1G toilets use the power of gravity to provide the most efficien flush in the industry.



WATER SAVING

Water efficient toilets designed with 1.28 gallons per flush or less



DYNAMAX TORNADO FLUSH

DYNAMAX indicates a high performance, high-efficiency, powerful flushing technology that uses only 1.0 or 0.8 GPF & 1.28 or 0.8 GPF It features 2.5" trapway, quiet flush and better line carry.



TORNADO FLUSH[®]

TORNADO FLUSH features a state-of-the-art, hole-free rim design that offers dual-nozzle bowl cleansing, creating a centrifugal rinsing action that cleans the bowl more efficiently.



CEFIONTECT'

CEFIONTECT glaze prevents visible and invisible waste from sticking to ceramic surfaces, leading to the use of less chemicals and water to clean.



UNIVERSAL HEIGHT

Universal Height indicates toilets that allow for a more comfortable position across a wide range of users.



SKIRTED DESIGN

The trapway is concealed by smooth porcelain, making the toile easier to clean.

WASHLET

wasнье́т +

WASHLET and toilet system that is specially designed for a seamless installation



тото: WashLet WASHLET is an electronic bidet seat that uses warm water cleansing to leave you fresh and rejuvenated. It features a heated seat, adjustable cleansing modes, dryer, deodorizer and much more



AIR-IN WONDER WAVE®

Air rich water droplets to produce a more comfortable washing sensation and deliver more thorough cleansing with less water consumption.



EWATER+®

After each flush, TOTO's EWATER+ mists the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.



PREMIST

Using the incoming water supply, a PREMIST wets the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl



AUTO FLUSH

No need to touch buttons or handles and never worry abou someone forgetting to flush — it's automatic after each use.



AUTO OPEN / CLOSE LID

iliminating the need to touch the toilet surfaces, the lid utomatically opens and closes when the toilet is approached and departed



DEODORIZER

Highly effective deodorizing automatically takes places inside the toilet bowl both during and immediately after use, leaving no disturbing odors.



HEATED SEAT

The moment you approach the toilet, the seat begins rapidly warming to a comfortable temperature.



WARM AIR DRYER

Enjoy the ease and comfort of drying with the temperature adjustable warm-air dryer.

CODES & STANDARDS



ADA

Product complies with Americans with Disabilities Act accessibility guidelines.



WATERSENSE

Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less, faucets are 1.5 GPM, and showers are 2.0 GPM.



CEC

Meets California Energy Commission Requirements



Meets CalGreen Water Regulations for new construction and permitted remodel

DESIGN AWARDS



GOOD DESIGN

The Good Design Award is the world's oldest and most important ndustrial design program organized annually by the Chicago Athenaeum Museum. Awarded to our NEOREST toilets and all WASHLET models featuring EWATER+ technology.



GOOD DESIGN

Awarded to our toilets with 1.28 GPF and below and automatic faucets with 0.35 GPM and below

washlet et

Series of WASHLET-and-toilet sets. New standard of comfort and cleanliness for daily life.

Designed for every home, WASHLET+ is the smart way to introduce the life-changing comfort and cleanliness of TOTO technology to your life. Each toilet-and-seat set is harmoniously designed with no protruding pipes or cords. Various sets are available. Choose your WASHLET+ with the features that best match your home and sense of style.




THE NEW STANDARD OF COMFORT AND CLEANLINESS FOR DAILY LIFE.

Designed for every home, WASHLET*+ is the smart way to introduce the comfort and cleanliness of TOTO technology into your life. Each unit is harmoniously designed with a concealed connection — no visible hoses or cords — making the bathroom a most inviting space. A wide range of sets are available for you to discover.

HOW IT WORKS

WASHLET+ offers a concealed supply connection for seamless installation.





TOTO_®

TOILET TECHNOLOGIES

CLEAN SYNERGY YOUR TOILET APPEARS CLEAN

EVERY TIME

Synergy is created when the whole is greater than the sum of its parts. TOTO creates clean synergy by combining toilet technologies that work together in harmony to deliver comfort and cleanliness that is unparalleled.

The new series of WASHLET+ features TOTO technologies to create a clean standard for everyday living.







TOTO TOILET TECHNOLOGIES: CLEAN SYNERGY



washlet +

CEFIONTECT®



CEFIONTECT®

ULTRA-SMOOTH CERAMIC GLAZE LEAVES NOWHERE FOR WASTE TO CLING.

Its microscopic surface ridges are far smaller than waste particles, leaving no place for waste to gain a foothold. Extremely durable, CEFIONTECT is designed for enduring beauty and cleanliness.




Enlarged sectional image of toilet surface

Eliminating the microscopic gaps where waste hides

Conventional ceramic may appear perfectly smooth to the eyes, but has gaps where waste and other build up hide. At just one millionth of a millimeter, CEFIONTECT's surface ridges are much tinier than waste particles.

What makes CEFIONTECT so durable?

Glass layers are burned onto conventional glaze, making CEFIONTECT an extremely durable material.



CEFIONTECT toilet micrograph *1Qm=0.001mm



Hydrophilic ceramic surface images (CEFIONTECT)

Water has a strong affinity to CEFIONTECT

Hydrophilic describes organisms and materials that attract water. CEFIONTECT is hydrophilic. Water spreads easily over the toilet bowl, so waste particles easily wash away.

TOTO TOILET TECHNOLOGIES: CLEAN SYNERGY



washléт_®+

TORNADO FLUSH®



DYNAMAX TORNADO FLUSH®

USES 100% OF WATER TO CLEAN AND RINSF BOWL



DYNAMAX combines powerful bowl cleaning and waste evacuation using water that is 100% projected from the rim creating 360° cleaning power. Using only 1.0/0.8 or 1.28/0.8 gallons per flush, coupled with a 25% larger trapway diameter, this high-efficiency system uses 20% less water with improved performance while also creating a quieter flush. With a modern rimless design, it performs more consistently and is easy to clean.

TORNADO FLUSH®

360° CLEANING POWER REACHES EVERY SPOT USING LESS WATER.

TORNADO FLUSH not only cleans more effectively, it does so quietly using less water. Powerful streams of water merge and swirl 360 degrees, washing every spot inside the rimless toilet bowl.



Thoroughly washes where waste accumulates most easily

TORNADO FLUSH powerfully ejects a stream of water from a spout near the rear of the toilet bowl, which is where waste accumulates most easily, thoroughly cleansing this area and then washing the entire bowl.

TOTO's unique rimless design

The unique rimless design not only leaves no place for waste and germs to hide, it also makes it much easier to clean the toilet.



TOTO TOILET TECHNOLOGIES: CLEAN SYNERGY



washlet +

EWATER+®



EWATER+®

MISTS THE BOWL WITH ELECTROLYZED WATER TO KEEP THE BOWL CLEAN WITHOUT HARSH CHEMICALS.

EWATER+ cleans the wand and toilet bowl where waste and build up tend to accumulate and create stains that can become permanent.

Using no chemicals or cleaning agents, EWATER+ provides peace of mind every day that microscopic build up has no place to hide.

What is EWATER+?



How EWATER+ cleans





washlet et et

CLEANSING FUNCTIONS




CLEANSING FUNCTIONS

WITH THE TOUCH OF A BUTTON, A WAND EXTENDS FROM UNDER THE SEAT FOR SOOTHING WARM-WATER CLEANSING.

How WASHLET® works



AIR-IN WONDER-WAVE* technology is the precise, pleasant, air rich stream that keeps you clean. As water is fired at different speeds, small droplets collide with larger ones, combining and expanding as the droplets fill with more air. The injection of air enlarges water droplets by around 30%.



Select the type of cleansing you desire each time.





REAR SPRAY

The rear spray is designed to clean the rear intimate area. It features pleasant, yet strong water pressure to target this specific area.



REAR SOFT SPRAY

It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.



FRONT SPRAY

The front wash consists of large, soft drops for comfortable intimate cleansing - for a clean, fresh feeling.



WIDE FRONT SPRAY

It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.



SELF-CLEANING WAND

BEFORE AND AFTER EACH USE, THE WAND **AUTOMATICALLY CLEANS ITSELF WITH EWATER+®**.

This thorough cleaning occurs inside the wand as well as all around the exterior. Even when the toilet is not being used, the wand periodically cleans itself to ensure constant hygienic conditions.

Self-cleaning inside the mechanism, too

Cleans the wand's exterior with **EWATER+**

Cleanses all the wand's interior water passageways with EWATER+





Easy to wipe clean

The wand is made of high-quality dirtresistant resin. Although the SELF-CLEANING WAND maintains sanitary conditions, you will appreciate how easily it wipes clean.




HOW THE REMOTE CONTROL WORKS

Easy and Convenient to Use.




WASHLET® S550e & S500e models



Interface of the remote control is subject to change. Bracket available for wall-mounting.

WASHLET® S350e, S300e & C200 models



^{*}FRONT WIDE ON/OFF funtion only available on S350e/S300e

TOTO WASHLET®+ TECHNOLOGIES

For greater performance and hygiene in the bathroom.




No need to touch buttons or handles and never worry about someone forgetting to flush — it's automatic after each use.

*Auto Flush models only

Using the incoming water supply, PREMIST wets the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.

Highly effective deodorizing automatically takes places inside the toilet bowl both during and immediately after use, leaving no disturbing odors.

21



The moment you approach the toilet, the seat begins rapidly warming to a comfortable temperature.

Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.

*S550e and S350e only

Enjoy the ease and comfort of drying with the temperatureadjustable warm-air dryer. *S550e and S350e only

MACILLET®.			ELONGATED		
WASHLET [®]		S550E	S500E		
COMPARIS	ON		SW3056T40 SW3054T40	SW3046T40 SW3044T40	
COLOR			#01	#01	
	CONCEALED SI	JPPLY CONNECTION	•	•	
	REAR CLEANSE		•	•	
	SOFT REAR CL	EANSE	•	•	
	FRONT CLEANS	SE	•	•	
	WIDE FRONT C	LEANSE	•	•	
CLEANSE	OSCILLATING C	LEANSE	•	•	
	PULSATING CLE	EANSE	•	•	
	INSTANTANEOU	JS WATER HEATING	•	•	
	WATER PRESSU		5 SETTINGS	5 SETTINGS	
		RATURE CONTROL	5 SETTINGS	5 SETTINGS	
		N ADJUSTMENT	•	•	
	AIR PURIFIER (I		•	•	
AIR	AIR DRYER	JEOBONIZEN)	•	•	
AllX	AIR TEMPERAT	IRE CONTROL	5 SETTINGS	5 SETTINGS	
	HEATED SEAT	OKE CONTROL	5 3ETTING5	5 321111103	
SEAT		FEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	
SEAT	SOFTCLOSE SE		5 3ETTING5	9 351111103	
	SEAT SENSOR	AT AND LID	•	•	
		T OCE LID		•	
SENSOR	AUTO OPEN / CLOSE LID		•	_	
	AUTOMATIC FLUSH		-	_	
	NIGHT LIGHT		•	_	
	REMOTE CONTROL		•	•	
REMOTE CONTROL	REMOTE CONT		•	_	
	REMOTE CONT		_	_	
	REMOVABLE LID		•	•	
	EWATER+*		•	•	
HYGIENE	PREMIST		•	•	
	ON-DEMAND W	/AND CLEANING	•	•	
	SELF-CLEANIN		•	•	
ENERGY SAVING	ENERGY-SAVE	TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	
	AUTO ENERGY	SAVER	•	•	
RATED POWER USAGE			1288W	1287W	
LENGTH OF POWER CORD			Maximum length 4 ft.	Maximum length 4 ft.	
		REAR	9.1 - 14.5 oz. / min.	9.1 ~ 14.5 oz. / min.	
WAND FLOW RATE		SOFT	10.8 - 14.5 oz. / min.	10.8 - 14.5 oz. / min.	
		FRONT WATER TEMP	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	
		WATER TEMP AIR TEMP	86°F - 104°F 95°F - 140°F	86°F - 104°F 95°F - 140°F	
DRYER		AIR VOLUME	10.24 ft3 / min.	10.24 ft3 / min.	
HEATED SEAT		SURFACE TEMP	82° F - 97° F	82° F - 97° F	
WATER SUPPLY PRESSURE			7 psi - 109 psi	7 psi - 109 psi	
WATER SUPPLY TEMPERATU	IRE	33°F to 95°F	33°F to 95°F		
AMBIENT TEMPERATURE		33°F to 104°F	33°F to 104°F		
SIZE		ELONGATED	15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"D x 3-15/16"H	
-		D-SHAPE	_	_	

	D-SHAPE			
S350E	S300E	C200	C100	C200
SW584T20	SW574T20	SW2044T20	SW2034T20	SW2047T20
#01	#01	#01	#01	#01
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	_	_	_
•	•	•	•	•
•	•	•	_	•
•	•	_	_	_
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS
•	•	•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS
•	•	•	•	•
•	•	•	•	•
•	_	_	_	_
	_	_	_	_
•	_	_	_	_
•	•	•	SIDE PANEL	•
•	_	_	-	_
	_	_		_
•	•	•	•	•
•	•	_	_	_
	•	•	•	•
<u>_</u> _	<u> </u>	<u> </u>	<u> </u>	
•	•	•	•	•
3, 6, 9 HOURS	3, 6, 9 HOURS	_	_	_
3, 6, 9 1100K3	5, 0, 9 HOURS	•	•	•
835W	835W	406W	406W	406W
Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 3.94 ft.	Maximum length 3.94 ft.	Maximum length 3.94 f
9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
10.8 ~ 14.5 oz. / min.	10.8 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.
86°F - 104°F	86°F - 104°F	95°F - 104°F	95°F - 104°F	95°F - 104°F
95°F ~ 140°F	95°F ~ 140°F	86°F ~ 140°F	86°F - 140°F	86°F - 140°F
10.24 ft3 / min.	10.24 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.
82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F
7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi
33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F
33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F
15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"D x 3-15/16"H	15-3/8"W x 20-7/8"D x 7-3/8"H	18-13/16"W x 20-7/8"D x 7-3/8"H	_
	1			15-3/8"W x 20-7/8"D >

wasньė́т₀+



WASHLET				
ELONGATED				
S550E	S500E			
SW3056AT40#01 SW3054AT40#01	SW3046AT40#01 SW3044AT40#01			

WASHL	WASHLET+ TOILETS MODEL NUMBERS		EXTENSION ADAPTER	AUTO FLUSH KIT#	KIT NUMBERS		
	AIMES*	CST626CEFGAT40#01			THU767	MW6263056CEFGA#01	MW6263046CEFGA#01
	AQUIA* IV	CST646CUMF0	GAT40#01		THU765	MW6463056CUMFGA#01	MW6463046CUMFGA#01
ONE-	AGOIA IV	CST646CEMF0	GAT40#01		THU765	MW6463056CEMFGA#01	MW6463046CEMFGA#01
PIECE	LEGATO*	CST624CEFG.	AT40#01		THU767	MW6243056CEFGA#01	MW6243046CEFGA#01
	NEXUS*	CST642CUFG	AT40#01		THU766	MW6423056CUFGA#01	MW6423046CUFGA#01
	NEXUS	CST642CEFGAT40#01			THU767	MW6423056CEFGA#01	MW6423046CEFGA#01
		CT446CUFGT40#01	ST446UMA#01	9AU321-A	THU765	MW4463056CUMFGA#01	MW4463046CUMFGA#01
	AQUIA IV	CT446CUFGT40#01	ST446EMA#01	9AU321-A	THU765	MW4463056CEMFGA#01	MW4463046CEMFGA#01
	AGOIATV	CT446CUGT40#01	ST446UMA#01	9AU321-A	THU765	MW4463056CUMGA#01	MW4463046CUMGA#01
TWO- PIECE		CT446CUGT40#01	ST446EMA#01	9AU321-A	THU765	MW4463056CEMGA#01	MW4463046CEMGA#01
	CONNELLY	CT494CEFGT40#01	ST494MA#01	9AU321-A	THU765	MW4943054CEMFGA#01	MW4943044CEMFGA#01
	NEXUS	CT442CUFGT40#01	ST442UA#01	9AU321-A	THU766	MW4423056CUFGA#01	MW4423046CUFGA#01
		CT442CUFGT40#01	ST442EA#01	9AU321-A	THU767	MW4423056CEFGA#01	MW4423046CEFGA#01

wasньė́т₀+

NON AUTO FLUSH COMPATIBLE

WASHLET				
ELONGATED				
S550E	S500E			
SW3056T40#01 SW3054T40#01	SW3046T40#01 SW3044T40#01			

WASHLET+ TOILETS		MODEL NUMBERS		EXTENSION ADAPTER	KIT NUMBERS	
	AIMES*	CST626CEFGAT40#01			MW6263056CEFG#01	MW6263046CEFG#01
		CST646CUMFGAT40#01			MW6463056CUMFG#01	MW6463046CUMFG#01
ONE-PIECE	AQUIA* IV	CST646CEMFG	iAT40#01		MW6463056CEMFG#01	MW6463046CEMFG#01
ONE-PIECE	LEGATO*	CST624CEFGAT40#01			MW6243056CEFG#01	MW6243046CEFG#01
			CST642CUFGAT40#01		MW6423056CUFG#01	MW6423046CUFG#01
	NEXUS*	CST642CEFGAT40#01			MW6423056CEFG#01	MW6423046CEFG#01
	AQUIA IV	CT446CUFGT40#01	ST446UM#01	9AU321-A	MW4463056CUMFG#01	MW4463046CUMFG#01
		CT446CUFGT40#01	ST446EM#01	9AU321-A	MW4463056CEMFG#01	MW4463046CEMFG#01
	AGUIATV	CT446CUGT40#01	ST446UM#01	9AU321-A	MW4463056CUMG#01	MW4463046CUMG#01
TWO-PIECE		CT446CUGT40#01	ST446EM#01	9AU321-A	MW4463056CEMG#01	MW4463046CEMG#01
	CONNELLY	CT494CEFGT40#01	ST494M#01	9AU321-A	MW4943054CEMFG#01	MW4943044CEMFG#01
	NEXUS	CT442CUFGT40#01	ST442UA#01	9AU321-A	MW4423056CUFG#01	MW4423046CUFG#01
		CT442CUFGT40#01	ST442EA#01	9AU321-A	MW4423056CEFG#01	MW4423046CEFG#01

wasньет +

NON AUTO FLUSH COMPATIBLE



WASHLET+ TOILETS		MODEL NUMBERS		KIT NUMBERS	
	ULTRAMAX" II 1G"	CST604CUFGT20#01		MW604584CUFG#01	MW604574CUFG#01
	ULTRAMAX II	CST604CEFGT20#01		MW604584CEFG#01	MW604574CEFG#01
ONE DIEGE	CARLYLE" II 1G"	CST614CUFGT20#01		MW614584CUFG#01	MW614574CUFG#01
ONE-PIECE	CARLYLE II	CST614CEFGT20#01		MW614584CEFG#01	MW614574CEFG#01
	SUPREME' II	CST634CEFGT20#01		MW634584CEFG#01	MW634574CEFG#01
	CAROLINA" II	CST644CEFGT20#01		MW644584CEFG#01	MW644574CEFG#01
	DRAKE" II 1G"	C454CUFGT20#01 ST453U		MW454584CUFG#01	MW454574CUFG#01
TWO-PIECE	DRAKE II	C454CEFGT20#01	ST454E	MW454584CEFG#01	MW454574CEFG#01
TWO-PIECE	VESPIN* II 1G*	CT474CUFGT20#01	ST453U	MW474584CUFG#01	MW474574CUFG#01
	VESPIN II	CT474CEFGT20#01	ST454E	MW474584CEFG#01	MW474574CEFG#01
WALL -HUNG	MH*	CT437FGT20#01 WT172M			

WASHLET					
ELONG	D-SHAPE				
C200	C100	C200			
SW2044T20#01	SW2034T20#01	SW2047T20#01			
	KIT NUMBERS				
MW6042044CUFG#01	MW6042034CUFG#01				
MW6042044CEFG#01	MW6042034CEFG#01				
MW6142044CUFG#01	MW6142034CUFG#01				
MW6142044CEFG#01	MW6142034CEFG#01				
MW6342044CEFG#01	MW6342034CEFG#01	_			
MW6442044CEFG#01	MW6442034CEFG#01				
MW4542044CUFG#01	MW4542034CUFG#01				
MW4542044CEFG#01	MW4542034CEFG#01				
MW4742044CUFG#01	MW4742034CUFG#01				
MW4742044CEFG#01	MW4742034CEFG#01				
		CWT4372047MFG#MS			



LEGATO WASHLET+ S500e ONE-PIECE TOILET

NEW

AQUIA® IV WASHLET+





SEE PAGE 30

COMPATIBLE OPTIONS



MW6463056CUMFGA#01 - 1.0 GPF / 0.8 GPF MW6463056CEMFGA#01 - 1.28 GPF / 0.8 GPF AQUIA IV WASHLET+ with S550e





MW6463046CUMFGA#01 - 1.0 GPF / 0.8 GPF MW6463046CEMFGA#01 - 1.28 GPF / 0.8 GPF AQUIA IV WASHLET+ with \$500e

NEW

NEXUS® WASHLET+





SEE PAGE 31

COMPATIBLE OPTIONS



MW6423056CUFGA#01 - 1.0 GPF MW6423056CEFGA#01 - 1.28 GPF NEXUS WASHLET+ with S550e



MW6423046CUFGA#01 - 1.0 GPF MW6423046CEFGA#01 - 1.28 GPF NEXUS WASHLET+ with S500e



NEW

LEGATO® WASHLET+





SEE PAGE 33

COMPATIBLE OPTIONS



NEW

AQUIA® IV WASHLET+





*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

 $\label{eq:mw6463056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF} $$ MW6463056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF$

AQUIA IV WASHLET+ with S550e





 $\begin{array}{l} \textbf{MW6463046CUMG(A)\#01} - 1.0 \ \textbf{GPF} \ / \ 0.8 \ \textbf{GPF} \\ \textbf{MW6463046CEMG(A)\#01} - 1.28 \ \textbf{GPF} \ / \ 0.8 \ \textbf{GPF} \end{array}$

AQUIA IV WASHLET+ with S500e





NEW

NEXUS® WASHLET+





*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW6423056CUMFG(A)#01 - 1.0 GPF MW6423056CEMFG(A)#01 - 1.28 GPF

NEXUS WASHLET+ with S550e



MW6423046CUMG(A)#01 - 1.0 GPF MW6423046CEMG(A)#01 - 1.28 GPF NEXUS WASHLET+ with S500e





NEW

AIMES® WASHLET+





*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW6263056CEFG(A)#01 - 1.28 GPF AIMES WASHLET+ with S550e





MW6263046CEFG(A)#01 - 1.28 GPF AIMES WASHLET+ with S500e





NEW

LEGATO® WASHLET+





*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW6243056CEFG(A)#01 - 1.28 GPF LEGATO WASHLET+ with S550e





MW6243046CEFG(A)#01 - 1.28 GPF





CARLYLE® II WASHLET+





COMPATIBLE OPTIONS

MW614584CUFG#01 - 1.0 GPF MW614584CEFG#01 - 1.28 GPF

CARLYLE II WASHLET+ with S350e







MW614574CUFG#01 - 1.0 GPF MW614574CEFG#01 - 1.28 GPF

CARLYLE II WASHLET+ with S300e







MW6142044CUFG#01 - 1.0 GPF MW6142044CEFG#01 - 1.28 GPF CARLYLE II WASHLET+ with C200





MW6142034CUFG#01 - 1.0 GPF MW6142034CEFG#01 - 1.28 GPF CARLYLE II WASHLET+ with C100





ULTRAMAX® II WASHLET+





COMPATIBLE OPTIONS

MW604584CUFG#01 - 1.0 GPF MW604584CEFG#01 - 1.28 GPF

ULTRAMAX II WASHLET+ with S350e





MW604574CUFG#01 - 1.0 GPF MW604574CEFG#01 - 1.28 GPF

ULTRAMAX II WASHLET+ with S300e







MW6042044CUFG#01 - 1.0 GPF MW6042044CEFG#01 - 1.28 GPF ULTRAMAX II WASHLET+ with C200





MW6042034CUFG#01 - 1.0 GPF MW6042034CEFG#01 - 1.28 GPF ULTRAMAX II WASHLET+ with C100





CAROLINA® II WASHLET+





COMPATIBLE OPTIONS

MW644584CEFG#01 - 1.28 GPF CAROLINA II WASHLET+ with S350e







MW644574CEFG#01 - 1.28 GPF CAROLINA II WASHLET+ with S300e







MW6442044CEFG#01 - 1.28 GPF CAROLINA II WASHLET+ with C200





MW6442034CEFG#01 - 1.28 GPF CAROLINA II WASHLET+ with C100





SUPREME® II WASHLET+





COMPATIBLE OPTIONS

MW634584CEFG#01 - 1.28 GPF

SUPREME II WASHLET+ with S350e





MW634574CEFG#01 - 1.28 GPF SUPREME II WASHLET+ with S300e





MW6342044CEFG#01 - 1.28 GPF SUPREME II WASHLET+ with C200



MW6342034CEFG#01 - 1.28 GPF SUPREME II WASHLET+ with C100



NEW

AQUIA® IV WASHLET+





*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW4463056CUMG(A)#01 - 1.0 GPF / 0.8 GPF MW4463056CEMG(A)#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with S550e





MW4463046CUMG(A)#01 - 1.0 GPF / 0.8 GPF MW4463046CEMG(A)#01 - 1.28 GPF / 0.8 GPF AQUIA IV WASHLET+ with S500e





NEW

AQUIA® IV WASHLET+ (Universal Height)





*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW4463056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW4463056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with S550e





MW4463046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW4463046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with S500e





NEW

NEXUS® WASHLET+





*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW4423056CUMG(A)#01 - 1.0 GPF MW4423056CEMG(A)#01 - 1.28 GPF NEXUS WASHLET+ with S550e





MW4423046CUMG(A)#01 - 1.0 GPF MW4423046CEMG(A)#01 - 1.28 GPF NEXUS WASHLET+ with S500e





CONNELLY® WASHLET+





*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW4943054CEMFG(A)#01 - 1.28 GPF / 0.8 GPF





MW4943044CEMFG(A)#01 - 1.28 GPF / 0.8 GPF

CONNELLY WASHLET+ with S500e





VESPIN® II WASHLET+





COMPATIBLE OPTIONS

MW474584CUFG#01 - 1.0 GPF MW474584CEFG#01 - 1.28 GPF VESPIN II WASHLET+ with S350e







MW474574CUFG#01 - 1.0 GPF MW474574CEFG#01 - 1.28 GPF VESPIN II WASHLET+ with S300e







MW4742044CUFG#01 - 1.0 GPF MW4742044CEFG#01 - 1.28 GPF VESPIN II WASHLET+ with C200









DRAKE® II WASHLET+





COMPATIBLE OPTIONS

MW454584CUFG#01 - 1.0 GPF MW454584CEFG#01 - 1.28 GPF DRAKE II WASHLET+ with S350e







MW454574CUFG#01 - 1.0 GPF MW454574CEFG#01 - 1.28 GPF DRAKE II WASHLET+ with S300e







MW4542044CUFG#01 - 1.0 GPF MW4542044CEFG#01 - 1.28 GPF DRAKE II WASHLET+ with C200





MW4542034CUFG#01 - 1.0 GPF MW4542034CEFG#01- 1.28 GPF DRAKE II WASHLET+ with C100





WASHLET®+ WALL-HUNG TOILET

MH® WASHLET+



CWT4372047MFG#MS - 1.28 GPF / 0.9 GPF

MH WASHLET+ with C200





*Requires In-Wall Tank System and Push Plate

DUOFIT* IN-WALL TANK SYSTEM - 1.28/0.9 GPF

WT172M (Copper supply line)

2" x 6" installation 2" x 4" outlet kit available Push plates sold separately





PUSH PLATE YT920#MS

Polished chrome A hidden mounting screw



PUSH PLATE YT980#SS

Stainless Steel



Upgrade Available Q1 2019

TOTO NOTES

TOTO USA, INC. 1155 SOUTHERN ROAD MORROW, GA 30260 800-350-8686

www.totousa.com

#KO-012019-W+B Printed in the U.S.A. 01/19