



TOTO®

washlet.
COMPARISON
BROCHURE

washlet.

BENEFITS OF CLEANSING WITH WATER


The Washlet brings a new, refreshing lifestyle to America.

Cleansing with warm water after using the toilet provides an exceptionally clean feeling. The Washlet's self-cleaning wand is fully adjustable, allowing users to set the precise temperature and spray type for comfortable intimate cleansing.




HOW IT WORKS

Easy and convenient to use.



* Ewater+ is available in Washlets S300e & S350e only



*e*water⁺ (electrolyzed water)



INSTALLING A WASHLET®

IS MUCH LIKE CHANGING A TOILET SEAT,
BUT THE FEATURES AND BENEFITS

FAR EXCEED

ANY TOILET YOU EVER OWNED.

WASHLET

CLEANSING FUNCTIONS

With the touch of a button, a wand extends from under the seat for soothing warm-water cleansing.



REAR



The rear spray is designed to clean the rear intimate area. It features pleasant, yet strong water pressure to target this specific area.

REAR SOFT



It has a larger radius to cover more space. Low water pressure makes for a soft, comfortable spray.

FRONT



The front wash consists of large, soft drops for comfortable intimate cleansing – for a clean, fresh feeling.

WIDE FRONT



It has a larger radius to cover more space. Low water pressure makes for a soft, comfortable spray.

**On Washlet S350e & S300e only*

WASHLET HYGIENE FUNCTIONS

For a pristine experience every time.



SELF-CLEANING WAND

The self-cleaning function cleans the entire wand before and after each use.

PREMIST™



Using the incoming water supply, a pre-mist wets the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.

ewater+




Electrolyzed water is a proven disinfectant used in food preparation and cleaning. After each use, TOTO's ewater+ mists the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.

**On Washlet S350e & S300e only*

Chlorine
Ion



Tap Water



+/-
Electrolysis




Electrolyzed
Water

WASHLET


COMFORT FUNCTIONS

Focused on your satisfaction.



DEODORIZER

The deodorizer effectively cleans the air around the toilet using powerful filters. Air is drawn in, passing through an ionized carbon filter to eliminate unpleasant odors.




HEATED SEAT

The specially designed, contoured seat is heated to provide maximum comfort. An integrated sensor maintains the desired setting between 82°F and 97°F.



SOFTCLOSE® LID

The SoftClose lid closes gently to eliminate seat slamming. The S350e & G500 model lids are activated by sensors for automatic opening and closing.



HANDS-FREE DRYER

Enjoy the ease and comfort of hands-free drying with the temperature-adjustable warm-air dryer.

WASHLET

COMPARISON CHART

		G500	S350e	S300e	C200	C100	A200	A100
		MS970CEMFG (elongated)	SW584 (elongated) SW583 (round)	SW574 (elongated) SW573 (round)	SW2044 (elongated) SW2043 (round)	SW2034 (elongated) SW2033 (round)	SW2024 (elongated)	SW2014 (elongated)
	COLOR:	#01, #12	#01, #12	#01, #12	#01, #12	#01, #12	#01	#01
CLEANSE	REAR CLEANSE	•	•	•	•	•	•	•
	SOFT REAR CLEANSE	•	•	•	•	•	•	•
	FRONT CLEANSE	•	•	•	•	•	•	•
	WIDE FRONT CLEANSE		•	•				
	OSCILLATING CLEANSE	•	•	•	•	•	•	•
	PULSATING CLEANSE	•	•	•	•		•	
	INSTANTANEOUS WATER HEATING		•	•				
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•	•	•	•	•
AIR	AIR PURIFIER (DEODORIZER)	•	•	•	•	•		
	AIR DRYER	•	•	•	•	•		
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS		
SEAT	HEATED SEAT	•	•	•	•	•	•	•
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS
	SOFTCLOSE® SEAT AND LID	•	•	•	•	•	•	•
SENSOR	SEAT SENSOR	•	•	•	•	•	•	•
	⌚ AUTOMATIC OPEN AND CLOSE LID	•	•					
	⌚ AUTOMATIC FLUSH	•						
	NIGHT LIGHT		•					
REMOTE CONTROL	REMOTE CONTROL	•	•	•	•	SIDE PANEL	•	SIDE PANEL
	REMOTE CONTROLLED SEAT	•	•					
	REMOTE CONTROLLED FLUSH	•						
HYGIENE	REMOVABLE LID	•	•	•	•	•	•	•
	☼ CEFIONTECT™	•						
	⚙️ eWater+.		•	•				
	☼ PREMIST™		•	•	•	•		
	WAND CLEANING MODE	•	•	•	•	•	•	•
	SELF-CLEANING WAND	•	•	•	•	•	•	•
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS				
	AUTO ENERGY SAVER	•	•	•	•	•	•	•
	ON / OFF BUTTON	•	•	•				
connect+ OPTION*			•	•	•	•		

* Connect+ is a Washlet and toilet system specially designed to conceal the supply connections. Please refer to the Connect+ brochure for more details.

TECHNICAL

DATA

		G500	S350e	S300e	C200	C100	A200	A100
		MS970CEMFG (elongated)	SW584 (elongated) SW583 (round)	SW574 (elongated) SW573 (round)	SW2044 (elongated) SW2043 (round)	SW2034 (elongated) SW2033 (round)	SW2024 (elongated)	SW2014 (elongated)
POWER RATING		120V AC, 60Hz	120V AC, 60Hz	120V AC, 60Hz	120V AC, 60Hz	120V AC, 60Hz	120V AC, 60Hz	120V AC, 60Hz
RATED POWER USAGE		406W	835W	835W	406W	406W	406W	406W
LENGTH OF POWER CORD		Maximum length 3.6 ft.	Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 4 ft.
WASHLET® WAND FLOW RATE	REAR	9.8 - 20.3 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
	SOFT	9.8 - 18.6 oz. / min.	10.8 - 14.5 oz. / min.	10.8 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
	FRONT	9.1 - 18.6 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.
	WATER TEMPERATURE	86°F - 104°F	86°F - 104°F	86°F - 104°F	86°F - 104°F	95°F - 104°F	86°F - 104°F	95°F - 104°F
DRYER	AIR TEMPERATURE	104°F - 130°F	95°F - 140°F	95°F - 140°F	86°F - 140°F	86°F - 140°F	-	-
	AIR VOLUME	9.54 ft3 / min.	10.24 ft3 / min.	10.24 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.	-	-
HEATED SEAT	SURFACE TEMPERATURE	82°F - 97°F	82°F - 97°F	82°F - 97°F	82°F - 97°F	82°F - 97°F	82°F - 97°F	82°F - 97°F
WATER SUPPLY PRESSURE		7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 ps	7 psi - 109 ps
WATER SUPPLY TEMPERATURE		33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F
AMBIENT TEMPERATURE		33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F
SIZE	ROUND	-	15-5/16"W x 18-7/8"D x 3-15/16"H	15-5/16"W x 18-7/8"D x 3-15/16"H	15-3/8"W x 18-7/8"D x 7-3/8"H	18-7/8"W x 18-7/8"D x 7-3/8"H	-	-
	ELONGATED	15-15/16"W x 28-9/16"D x 25-1/8"H	15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"D x 3-15/16"H	15-3/8"W x 20-7/8"D x 7-3/8"H	18-7/8"W x 20-7/8"D x 7-3/8"H	15-3/8"W x 20-7/8"D x 7-3/8"H	18-15/16"W x 20-7/8"D x 7-3/8"H

WASHLETS OVERVIEW

WASHLET G500

MS970CEMFG (elongated)



- ▶ 3D Tornado Flush™
- ▶ CeFiONtect™ glaze
- ▶ Sleek, low profile skirted one-piece
- ▶ Elongated front bowl
- ▶ 12" rough-in
- ▶ Mounting and connection hardware included
- ▶ Universal height
- ▶ ADA compliant
- ▶ Washlet cleansing with 5 spray settings
- ▶ Front and rear cleanse
- ▶ Adjustable water and seat temperatures
- ▶ Oscillating spray option
- ▶ Warm-air dryer
- ▶ Built-in air deodorizer
- ▶ Auto open/close lid
- ▶ Hands-free automatic flush
- ▶ Meets WaterSense efficiency and performance standards

WASHLET S350E

SW584 (elongated)

SW583 (round)



- ▶ Washlet cleansing with 5 spray settings
- ▶ Premist™ of bowl before each use
- ▶ Front and rear cleanse
- ▶ SoftClose® seat
- ▶ Adjustable water and seat temperatures
- ▶ Oscillating spray option
- ▶ Adjustable water pressure
- ▶ Warm-air dryer
- ▶ Built-in air deodorizer
- ▶ Instantaneous water heating
- ▶ Auto open/close lid
- ▶ Ewater+® technology

WASHLET S300E

SW574 (elongated)

SW573 (round)



- ▶ Washlet cleansing with 5 spray settings
- ▶ Premist of bowl before each use
- ▶ Front and rear cleanse
- ▶ SoftClose seat
- ▶ Adjustable water and seat temperatures
- ▶ Oscillating spray option
- ▶ Adjustable water pressure
- ▶ Warm-air dryer
- ▶ Built-in air deodorizer
- ▶ Instantaneous water heating
- ▶ Ewater+ technology

AVAILABLE COLORS

#01
Cotton

#12
Sedona
Beige

**WASHLET
C200**SW2044 (elongated)
SW2043 (round)

- ▶ Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- ▶ Premist of bowl before each use
- ▶ Front and rear cleanse
- ▶ SoftClose seat
- ▶ Adjustable water temperature and pressure
- ▶ Warm air drying with five variable temperature settings
- ▶ Built-in air deodorizer
- ▶ Convenient slim wireless remote, with illuminated touch pad
- ▶ 2 user settings
- ▶ Adjustable seat temperature

**WASHLET
C100**SW2034 (elongated)
SW2033 (round)

- ▶ Gentle aerated, warm water, dual action spray with oscillating feature
- ▶ Premist of bowl before each use
- ▶ Front and rear cleanse
- ▶ SoftClose seat
- ▶ Adjustable water temperature and pressure
- ▶ Warm air drying with three variable temperature settings
- ▶ Built-in air deodorizer
- ▶ Arm control panel
- ▶ Adjustable seat temperature

**WASHLET
A200**

SW2024 (elongated)



- ▶ Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- ▶ Front and rear cleanse
- ▶ SoftClose seat
- ▶ Adjustable water temperature and pressure
- ▶ Convenient slim wireless remote
- ▶ Adjustable seat temperature
- ▶ Available only in #01 Cotton

**WASHLET
A100**

SW2014 (elongated)



- ▶ Gentle aerated, warm water, dual action spray with oscillating feature
- ▶ Front and rear cleanse
- ▶ SoftClose seat
- ▶ Adjustable water temperature and pressure
- ▶ Arm control panel
- ▶ Adjustable seat temperature
- ▶ Available only in #01 Cotton

**AVAILABLE
COLORS** #01
Cotton #12
Sedona
Beige

TECHNOLOGY
GUIDE



3D Tornado Flush™ System



CeFiONtect™ Glaze



Universal Height



Auto Functions



eWater+



Premist™



ADA Compliant



WaterSense



Meets CEC Water Regulations - Effective 2016

CALGreen Meets CalGreen Water Regulations for new construction and permitted remodel



TOTO USA, INC.
1155 SOUTHERN ROAD
MORROW, GA 30260
800-350-8686
www.totousa.com

#KO-082015-WB
Printed in U.S.A 8/2015